



SPECIFICATION SERIES

WWW.TRUEMFG.COM

PROFESSIONAL GRADE UPRIGHT REFRIGERATION

SPEC SERIES®



CABINET TYPES:

REFRIGERATOR

FREEZER

DUAL TEMP

HEATED CABINET

REACH-IN

PASS-THRU

ROLL-IN

ROLL-THRU

STR-STA-STG SERIES

STR SERIES

EXTERIOR

Stainless steel door, front & sides.

INTERIOR

Stainless steel side walls, back, floor, ceiling & door liner.

REACH-IN SHELVING

- (1) Interior kit option factory installed per full section.
- (4) Different interior kits available.

STA SERIES

EXTERIOR

Stainless steel door, front & sides.

INTERIOR

Aluminum side walls & back.
Stainless steel floor & ceiling.

REACH-IN SHELVING

- (3) Heavy duty, chrome plated wire shelves per section.
- (4) Different interior kits available..

STG SERIES

EXTERIOR

Stainless steel door, front & aluminum sides.

INTERIOR

Aluminum side walls & back.
Stainless steel floor & ceiling.


REACH-IN SHELVING

- (3) Heavy duty, grey PVC coated wire shelves per section.
- (4) Different interior kits available..





SPEC SERIES®



LED Lighting



Electronic Control

MODEL NUMBER NOMENCLATURE SYSTEM

STR	2	R	PT	-	2S	-	2S
(1)	(2)	(3)	(4)	-	(5)	-	(6)

Position (1) Interior & Exterior Metal Finish

STR	Stainless Steel Exterior and Interior
STA	Stainless Steel Exterior and Stainless Steel/Aluminum Interior
STG	Stainless Steel/Aluminum Exterior and Interior

Position (2) Number Of Sections

1	1 Section Cabinet
2	2 Section Cabinet

Position (3) Type Of Cabinet

R	Refrigerator
F	Freezer
DT	Dual Temp
H	Heated Cabinet

Position (4) Front Of Cabinet Door Configuration

PT	Pass-Thru
RI/RT	Roll-in/Roll-Thru

Position (5) Front Of Cabinet Door Configuration

# S/HS	Full Height Stainless /Half Height Stainless Door
# G/HG	Full Height Glass/Half Height Glass Door

Position (6) Back Of Cabinet Door Configuration

# S/HS	Full Height/Half Height Stainless Door
# G/HG	Full Height Glass/Half Height Glass Door

Example:	STR2RPT-2S-2S
(1)	Stainless Steel Interior & Exterior
(2)	Two Section
(3)	Refrigerated Pass-thru
(4)	Two Full Height Stainless Doors on the Front of the Unit
(5)	Two Full Height Stainless Doors on the Back of the Unit

FEATURES:

Foamed-in-place using Ecomate. A high density, polyurethane insulation with zero ozone depletion potential (ODP) and zero global warming potential (GWP).

Lifetime guaranteed heavy-duty, all metal working door handles.

Positive seal self-closing door with 120° stay open feature. Lifetime guaranteed external cam lift door hinges, four (4) per door section.

Lifetime guaranteed bolt style door lock.

Exterior digital temperature display, available with either °F or °C.

LED interior lighting.

NSF/ANSI Standard 7 compliant for open food product.

Energy efficient, "Low-E", thermal insulated glass on glass door models.

5" (127 mm) diameter plate castors - locks provided on front set.

Top mounted unit positioned out of food zone to maximize storage capacity.

Self-contained system.

Only present on pass-thru
Indicates number of doors present

Front of cabinet is indicated by exterior thermometer
Indicates number of doors present



Stainless Steel shelves

Recessed Gaskets

Bolt Style Door locks

INTERIOR STORAGE OPTIONS — All interior storage options are available individually or in kits.

Type 1



Angle Type Tray Slide

16 ga. Stainless Steel
For Bottom Support of:
(1) 18" x 26" pan or
(2) 14" x 18" pans

Type 2



Rod Type Tray Slide

Chrome Plated Steel Rod Type
For Rim Support of:
(1) 18" x 26" pan
Note: one pair of #2 tray slides
accommodates one half section.
*for light duty applications only.


Type 3



Universal Tray Slide

16 ga. Stainless Steel
Angle Type for Bottom
Support of:
(1) 18" x 26" pan or
(2) 14" x 18" pans or
(2) 12" x 20" pans


Option Type 4



Chrome Shelves with Shelf Supports

Chrome Shelves:
Standard in STR & STA Series
refrigerators & freezers.
Stainless steel shelves also available.

Trays Slide	Spacings				
#1 Tray Slides	2"	3"	4"	5"	6"
Behind full length door	28	19	14	11	10
Behind upper half door	13	9	7	5	5
Behind lower half door	13	9	7	5	5
#2 Tray Slides	1 1/2" O.C.				
Behind full length door	38				
Behind upper half door	18				
Behind lower half door	18				
Universal Tray Slides			4"	5"	6"
Behind full length door			14	11	9
Behind upper half door			6	5	4
Behind lower half door			6	5	4



PVC Coated Shelves with Shelf Supports


PVC Coated Shelves:
Standard in STG
refrigerators & freezers.

VERTICAL LED DISPLAY (VLD)

STR • STA • STG

A new option was recently introduced to True's all new Spec Series®. VLD, or Vertical LED Display, is now available as an option on select STR, STA, and STG refrigerators. Made with the same quality materials as the rest of the Spec Series® line, the VLD model is a great way to display wine, beer or any other high-end products. LED lights run the lengths of the doors to provide optimal lighting, which makes product stand out to the eye. True's LED lights are an energy efficient option, providing a superior image without the energy costs of past lighting options. The VLD comes standard with three shelves per section with the option of wine shelves to display multiple bottles of wine.

FEATURES




**VERTICAL
LED DISPLAY**




**BOLT STYLE
DOOR LOCK**



**ELECTRONIC
CONTROL WITH
AUDIBLE ALARM**



**ALL METAL
DOOR HANDLE
LIFETIME WARRANTY**



Wine shelves only available for VLD models.

CORRECTIONAL PACKAGE

True's Spec Series[®] reach-in or roll-in models are available with special features which are designed to secure the cabinet and its components from any unintended purpose; essential in maintaining a safe kitchen environment.



Tamper Proof Rain Shield



Hinged Locking
Thermostat Control Cover



Stainless Steel Thermal Breaker
(Interior)




Hinges Without Covers



Locking Hasp



Security Screws




Tray Slides and Pilaster in Fixed /
Welded Rack
(Interior)



Heavy Duty,
Clear Polycarbonate,
Security Light Cover
(Interior)



Seismic / Flanged Leg



Mesh Screening





True
REFRIGERATION

SPECIFICATION SERIES



natural
refrigerant.

HYDROCARBON

True is committed to converting all their refrigeration products to R290 before 2019.

ENERGY EFFICIENCY
PERFORMANCE
SAVINGS

* See spec sheets for specifics on transition of individual models.

TRUE MANUFACTURING CO., INC.

2001 East Terra Lane • O'Fallon, MO 63366-4434 • ph. 636.240.2400
toll free 800.325.6152 • fax 636.272.2408 • parts fax 636.272.9471



WWW.TRUEMFG.COM

