

The
NAFEM
Show®

FEBRUARY 9th - 11th

2017

true®
REFRIGERATION

NEW PRODUCT ADDENDUM



TFS

T-SERIES & TUC~FRAMED GLASS DOOR VERSION 01

T-SERIES REFRIGERATORS~FRAMED GLASS DOOR VERSION 01

MODEL	DOORS	# OF SHELVES	HP	AMPS	CRATED WEIGHT	CABINET DIMENSIONS L D † H
REFRIGERATORS						
T-23G-HC~FGD01	1	3	TBD	TBD	TBD	27 x 29 7⁄8 x 78 3⁄4
T-23-1-G-1-HC~FGD01	2	3	TBD	TBD	TBD	27 x 29 7⁄8 x 78 3⁄4
T-23G-2-HC~FGD01	2	3	TBD	TBD	TBD	27 x 29 7⁄8 x 78 3⁄4
T-72G-HC~FGD01	3	9	3⁄4	6.9	630	78 1⁄2 x 29 7⁄8 x 78 3⁄4

† Depth does not include 1 1⁄2" (42 mm) for door handle. Depth does not include 5⁄8" (16mm) for rear mechanical components.

TS-SERIES REFRIGERATORS~FRAMED GLASS DOOR VERSION 01

MODEL	DOORS	# OF SHELVES	HP	AMPS	CRATED WEIGHT	CABINET DIMENSIONS L D † H
REFRIGERATORS						
TS-23G-HC~FGD01	1	3	TBD	TBD	TBD	27 x 29 3⁄4 x 78 3⁄4
TS-23-1-G-1-HC~FGD01	2	3	TBD	TBD	TBD	27 x 29 3⁄4 x 78 3⁄4
TS-23G-2-HC~FGD01	2	3	TBD	TBD	TBD	27 x 29 3⁄4 x 78 3⁄4
TS-72G-HC~FGD01	3	9	3⁄4	6.9	TBD	78 1⁄2 x 29 3⁄4 x 78 3⁄4

† Depth does not include 1 1⁄2" (42 mm) for door handle. Depth does not include 5⁄8" (16mm) for rear mechanical components.

TUC REFRIGERATORS~FRAMED GLASS DOOR VERSION 01

MODEL	DOORS	# OF SHELVES	HP	AMPS	CRATED WEIGHT	CABINET DIMENSIONS L D † H*
REFRIGERATORS						
TUC-24G-HC~FGD01	1	2	1⁄6	2.0	165	24 x 24 3⁄4 x 31 1⁄2
TUC-27G-HC~FGD01	1	2	1⁄6	2.0	195	27 5⁄8 x 30 1⁄8 x 29 3⁄4
TUC-48G-HC~FGD01	2	4	1⁄5	3.0	305	48 3⁄8 x 30 1⁄8 x 29 3⁄4
TUC-60G-HC~FGD01	2	4	1⁄4	4.0	350	60 3⁄8 x 30 1⁄8 x 29 3⁄4

† Depth does not include 1" (26 mm) for rear bumpers and 1⁄2" (13 mm) for door handles.

* Height does not include 6 1⁄4" (159 mm) for castors or 6" (153 mm) for optional legs.



T-72G-HC~FGD01




TUC-48G-HC~FGD01

T-SERIES & UNDERCOUNTER FRAMED GLASS DOOR VERSION 01 ~FGD01



T-23G-HC~FGD01



T-23-1-G-1-HC~FGD01



T-23G-2-HC~FGD01



TUC-27G-HC~FGD01

THE INDUSTRIES MOST COMPLETE REFRIGERATION SOURCE

CONTACT FACTORY FOR AVAILABILITY

ALL DIMENSIONS ROUNDED TO NEAREST 1⁄8".

FOOD PREP UNITS WITH FLAT GLASS LIDS

TFP'S WITH FLAT GLASS LID

MODEL	DOORS	# OF SHELVES	# OF PANS (TOP)	HP	AMPS	CRATED WEIGHT	CABINET DIMENSIONS LD x H*
REFRIGERATORS WITH DOORS							
TFP-48-18M-FGLID	2	4	18	1/2	2.9	TBD	48 1/2 x 32 1/4 x 37 1/4
TFP-64-24M-FGLID	2	4	24	1/2	4.8	570	64 1/2 x 32 1/4 x 37 1/4
TFP-72-30M-FGLID	3	6	30	1/2	5.1	TBD	72 1/2 x 32 1/4 x 37 1/4

† Depth does not include 2 1/4" (57 mm) for cutting board.
* Height does not include 3/4" (19 mm) for castors. * Height does not include 21 5/8" (550 mm) for open lid.
Note: Total height with castors and lid open is 59 5/8" (1515 mm).



TFP-72-30M-FGLID



TFP-48-18M-FGLID



TFP-60-24M-FGLID

CONTACT FACTORY FOR AVAILABILITY

ALL DIMENSIONS ROUNDED TO NEAREST 1/8".

FLAT GLASS LIDS

True's commitment to using the highest quality materials and high capacity refrigeration systems provides the user with colder product temperatures, lower utility costs, exceptional food safety and the best value in today's foodservice marketplace.

Another addition to True's food preparation table line is the TFP and TSSU with Glass Top. This line of Mega-Tops is made with quality metals such as a stainless steel front, top and sides with an aluminum back. TFP and TSSUs with Glass Tops come standard with a 5 3/8" (137 mm) deep full length removable cutting board made of sanitary, high-density, NSF approved white polyethylene. The countertop pan opening is designed to fit varying size pan configurations with available pan divider bars. The new Glass Top doubles as an insulating top and as a sneeze guard. By lifting the lid, you convert the glass lid to a sneeze guard allowing customers to view their choice of fresh ingredients. The doors and drawers to the storage area below come equipped with 12 inch recessed door handles. True's forced air design moves air below the food pans to keep the product temperature between 33°F to 41°F (0.5°C to 5°C).



ALL DIMENSIONS ROUNDED TO NEAREST 1/8".



TPP: PIZZA PREP OPTIONS

TPP: TELESCOPING HOOD & TOPPING CATCHER OPTIONS

MODEL
TELESCOPING HOOD
TPP-44's Telescoping Hood
TPP-60's Telescoping Hood
TPP-67's Telescoping Hood
TPP-93's Telescoping Hood
TPP-119's Telescoping Hood
TOPPING CATCHER
TPP-44's Topping Catcher
TPP-60's Topping Catcher
TPP-67's Topping Catcher
TPP-93's Topping Catcher
TPP-119's Topping Catcher

Telescoping Hood and Topping Catcher options are available for all existing variations and voltages of TPP series models.
Telescoping Hood and Topping Catcher options are available separately or combined.
Telescoping Hood and Topping Catcher options are not field retrofitable.



Telescoping Hood



Topping Catcher



TPP-119D-4 with Telescoping Hood & Topping Catcher

UNDERCOUNTERS~SPEC1

UNDERCOUNTER REFRIGERATORS~SPEC1

MODEL	DOORS	# OF SHELVES	HP	AMPS	CRATED WEIGHT	CABINET DIMENSIONS L D± H"
SOLID DOOR REFRIGERATORS						
TUC-24-HC~SPEC1	1	2	1/8	2.0	155	24 x 24 3/4 x 31 1/8
TUC-27-HC~SPEC1	1	2	1/8	2.0	195	27 1/8 x 29 1/8 x 29 3/4
TUC-36~SPEC1	2	4	1/8	4.7	240	36 3/8 x 29 1/8 x 29 3/4
TUC-48-HC~SPEC1	2	4	1/8	3.0	260	48 3/8 x 29 1/8 x 29 3/4
TUC-60-HC~SPEC1	2	4	1/4	4.0	325	60 3/8 x 29 1/8 x 29 3/4
TUC-72~SPEC1	3	6	1/8	8.5	405	72 3/8 x 29 1/8 x 29 3/4

† Depth does not include 1 1/2" (39 mm) for door handles. Depth does not include 1" (26mm) for rear bumpers.
* Height does not include 6 1/4" (159mm) for castors or 6" (153mm) for optional legs. (Excludes TUC-24-HC~SPEC1).

UNDERCOUNTER FREEZERS~SPEC1

MODEL	DOORS	# OF SHELVES	HP	AMPS	CRATED WEIGHT	CABINET DIMENSIONS L D± H"
SOLID DOOR FREEZERS						
TUC-27F-HC~SPEC1	1	2	1/8	5.0	190	27 1/8 x 29 1/2 x 29 3/4
TUC-48F-HC~SPEC1	2	4	1/2	5.4	290	48 3/8 x 29 1/8 x 29 3/4
TUC-60F~SPEC1	2	4	1/8	6.6	370	60 3/8 x 29 1/8 x 29 3/4

† Depth does not include 1 1/2" (39 mm) for door handles. Depth does not include 1" (26mm) for rear bumpers.
* Height does not include 6 1/4" (159mm) for castors or 6" (153mm) for optional legs.

DEEP UNDERCOUNTER REFRIGERATORS~SPEC1

MODEL	DOORS	# OF SHELVES	HP	AMPS	CRATED WEIGHT	CABINET DIMENSIONS L D± H"
SOLID DOOR REFRIGERATORS						
TUC-44~SPEC1	1	2	1/8	5.1	290	44 1/2 x 32 1/4 x 29 3/4
TUC-60-32~SPEC1	2	4	1/8	5.1	365	60 1/4 x 32 1/4 x 29 3/4
TUC-67~SPEC1	2	4	1/8	5.1	385	67 1/4 x 32 1/4 x 29 3/4
TUC-93~SPEC1	3	6	1/8	4.5	545	93 1/4 x 32 1/4 x 29 3/4

† Depth does not include 1 3/4" (45 mm) for door handles. † Depth does not include 1" (26mm) for rear bumpers or 1/4" (7mm) for front bumper.
* Height does not include 6 1/4" (159mm) for castors or 6" (153mm) for optional legs.

DEEP UNDERCOUNTER FREEZERS~SPEC1

MODEL	DOORS	# OF SHELVES	HP	AMPS	CRATED WEIGHT	CABINET DIMENSIONS L D± H"
SOLID DOOR FREEZERS						
TUC-44F~SPEC1	1	2	1/2	7.0	300	44 1/2 x 32 1/4 x 29 3/4
TUC-60-32F~SPEC1	2	4	1/2	7.0	370	60 1/4 x 32 1/4 x 29 3/4
TUC-67F~SPEC1	2	4	1/2	7.0	425	67 1/4 x 32 1/4 x 29 3/4

† Depth does not include 1 3/4" (45 mm) for door handles. † Depth does not include 1" (26mm) for rear bumpers or 1/4" (7mm) for front bumper.
* Height does not include 6 1/4" (159mm) for castors or 6" (153mm) for optional legs.



TUC-27-HC~SPEC1



TUC-48-HC~SPEC1

WORKTOPS~SPEC1

WORKTOP REFRIGERATORS~SPEC1

MODEL	DOORS	# OF SHELVES	HP	AMPS	CRATED WEIGHT	CABINET DIMENSIONS L D: H*
SOLID DOOR REFRIGERATORS						
TWT-27-HC~SPEC1	1	2	1/6	2.0	195	27 3/8 x 29 1/8 x 33 1/4
TWT-36~SPEC1	2	4	1/6	4.7	240	36 3/8 x 29 1/8 x 33 1/4
TWT-48-HC~SPEC1	2	4	1/5	3.0	280	48 3/8 x 29 1/8 x 33 1/4
TWT-60-HC~SPEC1	2	4	1/4	4.0	TBD	60 3/8 x 29 1/8 x 33 1/4
TWT-72~SPEC1	3	6	1/3	8.5	405	72 3/8 x 29 1/8 x 33 1/4

† Depth does not include 1 1/2" (39 mm) for door handles. † Depth does not include 1" (26mm) for rear bumpers.

* Height does not include 6 1/4" (159mm) for castors or 6" (153mm) for optional legs.

WORKTOP FREEZERS~SPEC1

MODEL	DOORS	# OF SHELVES	HP	AMPS	CRATED WEIGHT	CABINET DIMENSIONS L D: H*
SOLID DOOR FREEZERS						
TWT-27F-HC~SPEC1	1	2	1/3	5.0	210	27 3/8 x 29 1/8 x 33 1/4
TWT-48F-HC~SPEC1	2	4	1/2	5.4	285	48 3/8 x 29 1/8 x 33 1/4
TWT-60F~SPEC1	2	4	1/3	6.6	375	60 3/8 x 29 1/8 x 33 1/4

† Depth does not include 1 1/2" (39 mm) for door handles. † Depth does not include 1" (26mm) for rear bumpers.

* Height does not include 6 1/4" (159mm) for castors or 6" (153mm) for optional legs.

DEEP WORKTOP REFRIGERATORS~SPEC1

MODEL	DOORS	# OF SHELVES	HP	AMPS	CRATED WEIGHT	CABINET DIMENSIONS L D: H*
SOLID DOOR REFRIGERATORS						
TWT-44~SPEC1	1	2	1/5	5.1	285	44 1/2 x 32 1/4 x 33 1/4
TWT-60-32~SPEC1	2	4	1/5	5.1	360	60 1/4 x 32 1/4 x 33 1/4
TWT-67~SPEC1	2	4	1/5	5.1	420	67 1/4 x 32 1/4 x 33 1/4
TWT-93~SPEC1	3	6	1/3	4.5	545	93 1/4 x 32 1/4 x 33 1/4

† Depth does not include 1 1/2" (39 mm) for door handles. † Depth does not include 1" (26mm) for rear bumpers or 1/4" (7mm) for front bumper.

* Height does not include 6 1/4" (159mm) for castors or 6" (153mm) for optional legs.

DEEP WORKTOP FREEZERS~SPEC1

MODEL	DOORS	# OF SHELVES	HP	AMPS	CRATED WEIGHT	CABINET DIMENSIONS L D: H*
SOLID DOOR FREEZERS						
TWT-44F~SPEC1	1	2	1/2	7.0	305	44 1/2 x 32 1/4 x 33 1/4
TWT-60-32F~SPEC1	2	4	1/2	7.0	385	60 1/4 x 32 1/4 x 33 1/4
TWT-67F~SPEC1	2	4	1/2	7.0	435	67 1/4 x 32 1/4 x 33 1/4

† Depth does not include 1 1/2" (39 mm) for door handles. † Depth does not include 1" (26mm) for rear bumpers or 1/4" (7mm) for front bumper.

* Height does not include 6 1/4" (159mm) for castors or 6" (153mm) for optional legs.



TWT-60F~SPEC1



TWT-27-HC~SPEC1

NOTE: See 2017 Price List for all SPEC1 Versions Available.

NOTE: Door/drawer combination cabinets require customer to designate door/drawer orientation.

CONTACT FACTORY FOR AVAILABILITY

ALL DIMENSIONS ROUNDED TO NEAREST 1/8".

SPEC1 PACKAGE

- Stainless steel front, countertop, sides and back.
- Interior - Stainless steel liner and stainless steel floor with coved corners.
- Heavy duty 16 gauge top and 20 gauge doors/drawer fronts.
- Lifetime guaranteed heavy duty all metal working spec door/drawer handle.

- Counter-Top front is flush with front of doors/drawers.
- Exterior digital temperature control and display.
- Heavy duty gray PVC coated wire shelves on door sections.
- Door locks standard (drawer units excluded).
- Drawer section - Heavy-duty stainless steel drawer slides and rollers. Removable without tools for easy cleaning.



Stainless steel liner.




All metal working spec door handle



PVC coated grey wire shelves



Exterior digital temp display



Door lock



Spec Series® logo

"RETRO" GLASS DOOR MERCHANDISER

GDM RETRO

MODEL	DOORS	# OF SHELVES	HP	AMPS	CRATED WEIGHT	CABINET DIMENSIONS L D x H
RETRO REFRIGERATOR						
GDM-15-RTO-HC-LD	1	4	1/6	2.0	TBD	24 7/8 x 24 7/8 x 75

† Depth does not include 1 1/2" (39 mm) for door handle.

Signs and Light Panel Options Available
Sign & Panel Name
Stainless (Standard)
Cold Drinks
Market Fresh
Wine Black
Wine Gold
Wine Red

Stainless sign standard, alternative signs are not field installable and must be indicated at time of order.



GDM-15-RTO-HC-LD
(Black Powder Coated Exterior)



GDM-15-RTO-HC-LD
(Silver Powder Coated Exterior)

GDM RETRO

GDM-15-RTO-HC-LD

True's
Vintage Unit

True's GDM-15-RTO-HC-LD Vintage Unit design combines style, quality materials, and robust refrigeration system to offer colder product temperatures and lower utility costs in a unique new look to brilliantly display your product.

MODEL FEATURES


- R290 Hydrocarbon refrigerant.
- Perimeter LED Lighting.
- Patented reverse condensing fan motor.
- "Low-E" double pane thermal insulated glass door.
- Available in 2 color options (black & silver).
- Comes standard with "Stainless" sign with no cutout.
- *4 sign options available: Stainless, Market Fresh, Cold Drinks, & Wine.

Exterior options:



INTERIOR OPTIONS: Choose white, aluminum or black interior.

* Alternative signs are not field installable and must be indicated at time of order.



Sign - Stainless (standard)



Sign - Market Fresh



Sign - Cold Drinks



Sign - Wine Red



Sign - Wine Black



Sign - Wine Gold
Shown with optional wine shelves



Sign - Wine Gold

ALL WHITE GDM SLIDE DOORS

GDM SLIDE DOORS WITH ALL WHITE DOORS & FRAME

MODEL	DOORS	# OF SHELVES	HP	AMPS	CRATED WEIGHT	CABINET DIMENSIONS L D x H
SLIDE DOOR REFRIGERATORS						
GDM-33-HC-LD WHT WHTRM	2	8	1/2	6.3	370	39 1/2 x 29 3/8 x 78 3/4
GDM-47-HC-LD WHT WHTRM	2	8	1/2	8.5	485	54 1/2 x 29 3/8 x 78 3/4
GDM-69-HC-LD WHT WHTRM	3	12	1/2	9.3	635	78 1/2 x 29 3/8 x 78 3/4

† Depth does not include 3/8" (10 mm) for slide door handles.



GDM-33-HC-LD with All White Doors & Frame



GDM-47-HC-LD with All White Doors & Frame

ALL WHITE GDM SLIDE DOORS

True's new all white GDM slide door models create a nice partner and are inspired by the newly released TSL01 swing door white models providing a unique new look to brilliantly display your product with bright all white sign frame, door frames, & grill.



INTRODUCING
THE ALL WHITE
GLASS DOOR MERCHANDISER
SLIDE DOOR MODELS

THE INDUSTRIES MOST COMPLETE REFRIGERATION SOURCE

"HST" HEALTH SAFETY TIMER ON ~TSL01 GDM'S

REFRIGERATORS WITH HEALTH SAFETY TIMER

MODEL	DOORS	# OF SHELVES	HP	AMPS	CRATED WEIGHT	CABINET DIMENSIONS L D x H
REFRIGERATORS						
GDM-23-HST-HC~TSL01	1	4	1/3	5.4	305	27 x 29 7/8 x 78 3/4
GDM-26-HST-HC~TSL01	1	5	1/3	5.4	325	30 x 29 7/8 x 78 3/4

† Depth does not include 1 1/2" (42 mm) for door handles.

FREEZERS WITH HEALTH SAFETY TIMER

MODEL	DOORS	# OF SHELVES	HP	AMPS	CRATED WEIGHT	CABINET DIMENSIONS L D x H
FREEZERS						
GDM-23F-HST-HC~TSL01	1	4	1	9.3	350	27 x 29 7/8 x 78 3/4
GDM-26F-HST-HC~TSL01	1	4	1	9.5	390	30 x 29 7/8 x 78 3/4

† Depth does not include 1 1/2" (42 mm) for door handles.



GDM-23-HST-HC~TSL01



GDM-26F-HST-HC~TSL01
(Shown with optional black exterior)

True & MICRO MARKETS

Food safety is of the utmost importance for your customers. True's Health Safety Timer allows you to sell refrigerated and frozen product in different applications from a self contained refrigerator or freezer. Should temperatures rise above food safe standards, the mechanism triggers a lock on the door preventing further sales of the product.



Health Safety Timer

- Electronic monitoring system deploys lock if unsafe temperatures last longer than the allotted time.
- * 41°F (5°C) for 30 minutes or longer in refrigerators.
* 0°F (-18°C) for 30 minutes or longer in freezers.
- Battery backup power supply ensures the lock will continue to function even if the unit loses power.
- Auditory alarm sounds, along with a visual signal display when lock is triggered to inform staff.
- Available on refrigerators & freezers
GDM-23-HC-HST~TSL01 & GDM-26-HC-HST~TSL01
GDM-23F-HC-HST~TSL01 & GDM-26F-HC-HST~TSL01



Note: HST models are available in right hinge only.

THE INDUSTRIES MOST COMPLETE REFRIGERATION SOURCE

VISUAL MERCHANDISERS

SLIM LINE VISUAL MERCHANDISERS~SWING DOOR VERSION 01

MODEL	DOORS	# OF SHELVES	HP	AMPS	CRATED WEIGHT	CABINET DIMENSIONS L D† H*
REFRIGERATORS~SWING DOOR VERSION 01						
TVM-36SL-HC~SW01	2	4	¼	3.8	260	36 x 21 x 55
TVM-48SL-HC~SW01	2	8	½	10.8	655	47½ x 24¾ x 78¾

† Depth does not include 1¾" (45 mm) for door handles.

† Depth does not include 1" (26 mm) for rear bumpers.



TVM-36SL-HC~SW01



TVM-48SL-HC~SW01

VISUAL MERCHANDISERS

DESIGNED TO MAXIMIZE
PRODUCT DISPLAY
AND CUSTOMER
EXPERIENCE

TVM-48SL-HC~SW01

TRUE VISUAL MERCHANDISER

IMPROVED

VISIBILITY OF PRODUCT SIMILAR TO OPEN AIR CASES

IDEAL

FOR IN AISLE AND ENDCAP REFRIGERATION APPLICATIONS

DISPLAY

VARIETY OF PRODUCT WITH ADJUSTABLE CANTILEVER SHELVES



SLEEK HANDLES



The TVM-48SL-HC~SW01 is ideal for in aisle and endcap refrigeration applications. Its improved low profile swing door design eliminates the center mullion. This allows for full product visibility and ease of shopping. Its Hydrocarbon refrigeration system will help save on energy costs compared to that of an open air refrigerator found in similar scenarios.

True
REFRIGERATION

DISPLAY MERCHANDISERS

REFRIGERATED DISPLAY MERCHANDISERS

MODEL	DOORS	# OF SHELVES	HP	AMPS	CRATED WEIGHT	CABINET DIMENSIONS L D H
CURVED GLASS, GLASS END REFRIGERATED DISPLAY CASES WITH BLACK EXTERIOR/WHITE INTERIOR						
TDM-R-36-GE/GE-B-W	2	3	¼	10.0	540	36¼ x 39 x 49½
TDM-R-48-GE/GE-B-W	2	3	½	12.0	645	48¼ x 39 x 49½
TDM-R-59-GE/GE-B-W	2	3	½	12.0	760	59¼ x 39 x 49½
TDM-R-77-GE/GE-B-W	2	3	½	12.0	785	77¼ x 39 x 49½
CURVED GLASS, GLASS END REFRIGERATED DISPLAY CASES WITH WHITE EXTERIOR/WHITE INTERIOR						
TDM-R-36-GE/GE-W-W	2	3	¼	10.0	540	36¼ x 39 x 49½
TDM-R-48-GE/GE-W-W	2	3	½	12.0	645	48¼ x 39 x 49½
TDM-R-59-GE/GE-W-W	2	3	½	12.0	760	59¼ x 39 x 49½
TDM-R-77-GE/GE-W-W	2	3	½	12.0	785	77¼ x 39 x 49½
CURVED GLASS, GLASS END REFRIGERATED DISPLAY CASES WITH STAINLESS EXTERIOR/WHITE INTERIOR						
TDM-R-36-GE/GE-S-W	2	3	¼	10.0	TBD	36¼ x 39 x 49½
TDM-R-48-GE/GE-S-W	2	3	½	12.0	TBD	48¼ x 39 x 49½
TDM-R-59-GE/GE-S-W	2	3	½	12.0	TBD	59¼ x 39 x 49½
TDM-R-77-GE/GE-S-W	2	3	½	12.0	TBD	77¼ x 39 x 49½
CURVED GLASS, GLASS END REFRIGERATED DISPLAY CASES WITH STAINLESS EXTERIOR/STAINLESS INTERIOR						
TDM-R-36-GE/GE-S-S	2	3	¼	10.0	TBD	36¼ x 39 x 49½
TDM-R-48-GE/GE-S-S	2	3	½	12.0	TBD	48¼ x 39 x 49½
TDM-R-59-GE/GE-S-S	2	3	½	12.0	TBD	59¼ x 39 x 49½
TDM-R-77-GE/GE-S-S	2	3	½	12.0	TBD	77¼ x 39 x 49½

Note: TDM's can be ordered in any available interior/exterior color combination (black, white, stainless).






TDM-R-59-ME/GE-B-W



TDM-R-59-ME/GE-B-W



TDM-R-59-GE/GE-W-W




Optional Mirrored Ends Available for All TDM's Mirrored Glass Interior/Black Glass Exterior (Factory installed only)		
Mirrored Ends (ME)	2 sides (list Upcharge)	1 side (list Upcharge)
		
GE (STAINLESS EXTERIOR)	ME (STAINLESS EXTERIOR)	SM (STAINLESS EXTERIOR)
Optional Solid Mirrored Ends Available for All TDM's Mirrored Glass Interior/Solid Metal Exterior - must indicate finish on SM Black, White, or Stainless (Factory installed only)		
Solid Mirrored Ends (SM)	2 sides (list Upcharge)	1 side (list Upcharge)

DISPLAY MERCHANDISERS

DUAL ZONE DISPLAY MERCHANDISERS

MODEL	DOORS	# OF SHELVES	HP	AMPS	CRATED WEIGHT	CABINET DIMENSIONS L D H
CURVED GLASS, GLASS END DUAL ZONE DISPLAY CASES WITH BLACK EXTERIOR/WHITE INTERIOR						
TDM-DZ-48-GE/GE-B-W	2	6	¼	10.0	690	48¼ x 39 x 49½
TDM-DZ-59-GE/GE-B-W	2	6	¼	10.0	770	59¼ x 39 x 49½
TDM-DZ-77-GE/GE-B-W	2	6	¼	10.0	795	77¼ x 39 x 49½
CURVED GLASS, GLASS END DUAL ZONE DISPLAY CASES WITH WHITE EXTERIOR/WHITE INTERIOR						
TDM-DZ-48-GE/GE-W-W	2	6	¼	10.0	690	48¼ x 39 x 49½
TDM-DZ-59-GE/GE-W-W	2	6	¼	10.0	770	59¼ x 39 x 49½
TDM-DZ-77-GE/GE-W-W	2	6	¼	10.0	795	77¼ x 39 x 49½
CURVED GLASS, GLASS END DUAL ZONE DISPLAY CASES WITH STAINLESS EXTERIOR/WHITE INTERIOR						
TDM-DZ-48-GE/GE-S-W	2	6	¼	10.0	TBD	48¼ x 39 x 49½
TDM-DZ-59-GE/GE-S-W	2	6	¼	10.0	TBD	59¼ x 39 x 49½
TDM-DZ-77-GE/GE-S-W	2	6	¼	10.0	TBD	77¼ x 39 x 49½
CURVED GLASS, GLASS END DUAL ZONE DISPLAY CASES WITH STAINLESS EXTERIOR/STAINLESS INTERIOR						
TDM-DZ-48-GE/GE-S-S	2	6	¼	10.0	TBD	48¼ x 39 x 49½
TDM-DZ-59-GE/GE-S-S	2	6	¼	10.0	TBD	59¼ x 39 x 49½
TDM-DZ-77-GE/GE-S-S	2	6	¼	10.0	TBD	77¼ x 39 x 49½

Note: TDM's can be ordered in any available interior/exterior color combination (black, white, stainless).

Optional Mirrored Ends Available for All TDM's Mirrored Glass Interior/Black Glass Exterior (Factory installed only)		
Mirrored Ends (ME)	2 sides (list Upcharge)	1 side (list Upcharge)
		
GE (STAINLESS EXTERIOR)	ME (STAINLESS EXTERIOR)	SM (STAINLESS EXTERIOR)
Optional Solid Mirrored Ends Available for All TDM's Mirrored Glass Interior/Solid Metal Exterior - must indicate finish on SM Black, White, or Stainless (Factory installed only)		
Solid Mirrored Ends (SM)	2 sides (list Upcharge)	1 side (list Upcharge)



TDM-DZ-59-GE/GE-B-W



TDM-DZ-77-ME/ME-S-S



TDM-DZ-48-GE/GE-W-W

DISPLAY MERCHANDISERS

DRY CASE DISPLAY MERCHANDISERS

MODEL	DOORS	# OF SHELVES	AMPS	CRATED WEIGHT	CABINET DIMENSIONS L D H
CURVED GLASS, GLASS END DRY DISPLAY CASES WITH BLACK EXTERIOR/WHITE INTERIOR					
TDM-DC-36-GE/GE-B-W	2	3	7.0	485	36¼ x 39 x 49½
TDM-DC-48-GE/GE-B-W	2	3	7.0	580	48¼ x 39 x 49½
TDM-DC-59-GE/GE-B-W	2	3	7.0	665	59¼ x 39 x 49½
TDM-DC-77-GE/GE-B-W	2	3	7.0	685	77¼ x 39 x 49½
CURVED GLASS, GLASS END DRY DISPLAY CASES WITH WHITE EXTERIOR/WHITE INTERIOR					
TDM-DC-36-GE/GE-W-W	2	3	7.0	485	36¼ x 39 x 49½
TDM-DC-48-GE/GE-W-W	2	3	7.0	580	48¼ x 39 x 49½
TDM-DC-59-GE/GE-W-W	2	3	7.0	665	59¼ x 39 x 49½
TDM-DC-77-GE/GE-W-W	2	3	7.0	685	77¼ x 39 x 49½
CURVED GLASS, GLASS END DRY DISPLAY CASES WITH STAINLESS EXTERIOR/WHITE INTERIOR					
TDM-DC-36-GE/GE-S-W	2	3	7.0	TBD	36¼ x 39 x 49½
TDM-DC-48-GE/GE-S-W	2	3	7.0	TBD	48¼ x 39 x 49½
TDM-DC-59-GE/GE-S-W	2	3	7.0	TBD	59¼ x 39 x 49½
TDM-DC-77-GE/GE-S-W	2	3	7.0	TBD	77¼ x 39 x 49½
CURVED GLASS, GLASS END DRY DISPLAY CASES WITH STAINLESS EXTERIOR/STAINLESS INTERIOR					
TDM-DC-36-GE/GE-S-S	2	3	7.0	TBD	36¼ x 39 x 49½
TDM-DC-48-GE/GE-S-S	2	3	7.0	TBD	48¼ x 39 x 49½
TDM-DC-59-GE/GE-S-S	2	3	7.0	TBD	59¼ x 39 x 49½
TDM-DC-77-GE/GE-S-S	2	3	7.0	TBD	77¼ x 39 x 49½

Note: TDM's can be ordered in any available interior/exterior color combination (black, white, stainless).



TDM-DC-48-GE/GE-B-B



TDM-DC-59-ME/ME-W-W



TDM-DC-36-GE/GE-W-W

Optional Mirrored Ends Available for All TDM's
Mirrored Glass Interior/Black Glass Exterior (Factory installed only)

Mirrored Ends (ME)	2 sides (list Upcharge)	1 side (list Upcharge)
--------------------	-------------------------	------------------------



GE
(STAINLESS EXTERIOR)



ME
(STAINLESS EXTERIOR)



SM
(STAINLESS EXTERIOR)

Optional Solid Mirrored Ends Available for All TDM's
Mirrored Glass Interior/Solid Metal Exterior - must indicate finish on SM Black, White, or Stainless (Factory installed only)

Solid Mirrored Ends (SM)	2 sides (list Upcharge)	1 side (list Upcharge)
--------------------------	-------------------------	------------------------

CONTACT FACTORY FOR AVAILABILITY

ALL DIMENSIONS ROUNDED TO NEAREST ¼".

THE "TDM" SERIES

TDM 36" 48" 59" 77"

REFRIGERATED • DRY • DUAL ZONE



REFRIGERATED • TDM-R-36-GE/GE-S-S



REFRIGERATED • TDM-R-59-ME/ME-B-B



DRY CASE • TDM-DC-48-GE/GE-W-W




DUAL ZONE • TDM-DZ-77-GE/GE-B-W

True's innovative TDM design marries the sophistication of a curved glass display with enhanced performance using the latest in environmentally friendly, extremely energy efficient hydrocarbon refrigeration systems. True's new TDM series display merchandisers are ideally suited for high end interiors that demand premium materials and technical innovation.



Glass End Exterior



Glass End Interior



Mirror End Exterior



Mirror End Interior

END OPTIONS


INTERIOR AND EXTERIOR OPTIONS




Black



White



Stainless Steel



Deco
*Available in exterior finishes only



Powder Coating
*Available in exterior finishes only


SHELVING OPTIONS



White Wire




Black Wire



Chrome Wire



Stainless Cantilever



Clear Glass



Frosted Glass

ACCESSORY OPTIONS



Scale Shelf



Top Service Shelf



Front Merchandising Shelf



Rear Service Shelf

True
REFRIGERATION

DISPLAY MERCHANDISERS ACCESSORIES

TDM RATCHET LOCKS (KIT)

description	item number
All TDM Models	872801
Note: Factory Installed only.	



Ratchet Lock

TOP SERVICE SHELVES

description	item number
TDM-36/48/59/77 Scale Shelf	Contact Factory
TDM-36/48/59 Small Top Service Shelf	Contact Factory
TDM-77 Small Top Service Shelf	Contact Factory
TDM-36/48/59/77 Medium Top Service Shelf	Contact Factory
TDM-48/59/77 Large Top Service Shelf (Not Available on TDM-36)	Contact Factory
Note: Factory Installed only.	



Scale Shelf

Top Service Shelf

TDM ELECTRICAL RECEPTACLE

description	item number
TDM-36	Contact Factory
TDM-48	Contact Factory
TDM-59	Contact Factory
TDM-77	Contact Factory
Note: Factory Installed only.	



Electrical Receptacle

TDM EXTERNAL FRONT SHELF KIT (ONLY IN BLACK)

description	item number
TDM-36	203581
TDM-48	203582
TDM-59	203583
TDM-77	203584
Note: Factory Installed only.	



External Front Shelf

TDM FRONT GLASS LOCK (BARREL LOCK TO KEEP FRONTAL GLASS CLOSED)

description	item number
TDM-DC-36	Contact Factory
TDM-R-36	Contact Factory
TDM-DC-48	Contact Factory
TDM-R-48 / TDM-DZ-48	Contact Factory
TDM-DC-59	Contact Factory
TDM-R-59 / TDM-DZ-59	Contact Factory
TDM-DC-77	Contact Factory
TDM-R-77 / TDM-DZ-77	Contact Factory
Note: Factory Installed only.	



Front Glass Lock

CONTACT FACTORY FOR AVAILABILITY

ALL DIMENSIONS ROUNDED TO NEAREST 1/8".

DISPLAY MERCHANDISERS ACCESSORIES

TDM CLEAR GLASS SHELVES ASSEMBLY

description	item number
TDM-R-36 / TDM-DC-36	203585
TDM-R-48 / TDM-DC-48	203586
TDM-DZ-48	203587
TDM-R-59 / TDM-DC-59	203588
TDM-DZ-59	203589
TDM-R-77 / TDM-DC-77	203590
TDM-DZ-77	203591

Note: Kit includes three (3) levels of shelving.



Glass Shelves

TDM FROSTED GLASS SHELVES ASSEMBLY

description	item number
TDM-R-36 / TDM-DC-36	203592
TDM-R-48 / TDM-DC-48	203593
TDM-DZ-48	203594
TDM-R-59 / TDM-DC-59	203595
TDM-DZ-59	203596
TDM-R-77 / TDM-DC-77	203597
TDM-DZ-77	203598

Note: Kit includes three (3) levels of shelving.



Frosted Glass Shelves

TDM STAINLESS STEEL SHELVES ASSEMBLY (MEZZANINE)

description	item number
TDM-R-36 / TDM-DC-36	203599
TDM-R-48 / TDM-DC-48	203802
TDM-DZ-48	203803
TDM-R-59 / TDM-DC-59	203804
TDM-DZ-59	203805
TDM-R-77 / TDM-DC-77 (Top/Middle/Bottom)	203806/203807/203808
TDM-DZ-77	203809

Note: Kit includes three (3) levels of shelving.



Stainless Steel Shelves (Mezzanine)

TDM CASTORS

description	item number
All TDM-36/48/59 models (not available for 77 models)	
4" Castor kit	830277
2 1/2" Castor kit	830280

Note: Accessories at standard parts discount.



4" Castors

TDM LEGS

description	item number
All TDM-36/48/59 models (not available for 77 models)	
6" Leg kit	872025

Note: Accessories at standard parts discount.



6" Legs

CONTACT FACTORY FOR AVAILABILITY

ALL DIMENSIONS ROUNDED TO NEAREST 1/8".



TRUE FOOD SERVICE EQUIPMENT, INC. · 2001 East Terra Lane · O'Fallon, MO 63366-4434
phone: (636) 240-2400 · toll free: (800)-325-6152 · fax: (636) 272-2408 · parts fax: (636) 272-9471
truefood@truemfg.com · www.truemfg.com

